



華凌光電股份有限公司
WINSTAR Display Co.,Ltd.



YOUR BEST DISPLAY SOLUTION PROVIDER

12,500+ PRODUCTS 26 YEARS+ EXPERIENCE

Stock No.
6916

Display Format	Model No.	Structure			Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COG	PCB	FR									
128×32	WEO012832A	●			2.23"	62×24	57.02×15.1	55.018×13.098	0.43×0.41	1/32	3V	6800,8080,SPI,I2C	SSD1305
	WEO012832D	●			0.91"	30×11.5	24.384×7.584	22.384×5.584	0.175×0.175	1/32	3V	SPI	SSD1306
	WEO012832F	●			0.91"	30×11.5	24.384×7.584	22.384×5.584	0.175×0.175	1/32	3V	I2C	SSD1306
	WEO012832P	●			1.71"	50.50×15.75	44.22×12.54	42.22×10.54	0.33×0.33	1/32	3V	SPI,I2C	CH1115
	WEO012832K	●			2.0"	59×18.86	52.535×12.695	50.535×10.695	0.395×0.335	1/32	3V	6800,8080,SPI,I2C	SSD1315
	WEO012832N	●			2.23"	62×24	57.02×15.1	55.016×13.096	0.43×0.41	1/32	3V	6800,8080,SPI,I2C	SH1106
128×64	WEO012864A	●			1.54"	42.04×27.22	37.05×19.52	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864AA	●			1.54"	42.04×27.22	37.05×19.51	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	SSD1327
	WEO012864AB	●			0.96"	24.7×16.59	22.74×12.2	21.74×11.2	0.17×0.17	1/64	3V	6800,8080,SPI,I2C	SSD1315
	WEO012864AC	●			0.96"	26.7×19.26	23.94×12.06	21.74×10.86	0.17×0.17	1/64	3V	6800,8080,SPI,I2C	SSD1315
	WEO012864AD	●			0.96"	26.7×19.26	23.94×12.06	21.74×10.86	0.17×0.17	1/64	3V	6800,8080,SPI,I2C	ST7315
	WEO012864AE	●			1.54"	42.04×27.22	37.05×19.51	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	CH1116
	WEO012864AH	●			1.54"	42.04×27.22	37.05×19.51	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864AJ	●			2.42"	60.5×37	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	CH1116
	WEO012864AK	●			2.7"	73.0×41.86	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	CH1116
	WEO012864AL	●			2.42"	60.5×37	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864AM	●			2.7"	73.0×41.86	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864C	●			0.96"	26.7×19.26	23.34×11.46	21.74×10.86	0.17×0.17	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864D	●			0.96"	26.7×19.26	23.938×12.058	21.738×10.858	0.17×0.17	1/64	3V	6800,8080,SPI,I2C	SSD1306
	WEO012864G	●			2.42"	60.5×37	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864H	●			2.42"	60.5×37	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864J	●	●	●	2.42"	75×52.7	57.01×29.49	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864K	●			2.7"	73×41.86	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864L	●			1.28"	34.5×23	31.32×15.62	29.42×14.2	0.23×0.222	1/64	3V	6800,8080,SPI,I2C	SH1106
	WEO012864MX	●			0.96"	26.7×19.26	23.744×13.204	21.744×11.204	0.17×0.17	1/64	3V	6800,8080,SPI,I2C	SSD1306
	WEO012864Q	●			2.7"	73×41.86	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
WEO012864U	●			2.7"	73×41.86	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357	
WEO012864V	●			0.96"	24.74×16.9	22.74×11.86	21.74×10.86	0.17×0.17	1/64	3V	SPI,I2C	SSD1315	
WEO012864Y	●			1.54"	45.24×29.14	37.05×19.51	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	SSD1309	
128×128	WEO128128A	●			1.5"	33.8×36.5	28.86×28.86	26.86×26.86	0.21×0.21	1/128	3V	6800,8080,SPI,I2C	SSD1327
	WEO128128B	●			1.18"	37.18×41.23	∅31	∅30	0.235×0.235	1/128	3V	6800,8080,SPI,I2C	SSD1327
	WEO128128H	●			1.5"	33.80×36.50	28.86×28.86	26.86×26.86	0.21×0.21	1/128	3V	8080,SPI,I2C	CH1120
	WEO128128G	●			1.12"	25.9×30.1	22.076×22.076	20.076×20.076	0.157×0.157	1/128	3.3V	6800,8080,SPI,I2C	SH1107
160×128	WEO160128B	●			1.92"	34.5×48.8	30.908×41.34	28.908×39.34	0.226×0.246	1/128	3V	6800,8080,SPI,I2C	CH1120
256×64	WEO025664A	●			2.08"	60.5×19	53.18×14.78	51.18×12.78	0.2×0.2	1/64	3V	6800,8080,SPI,I2C	SSD1362
	WEO025664D	●			3.55"	99.2×33.5	89.52×23.28	87.52×21.28	0.342×0.333	1/64	3V	6800,8080,SPI	SSD1322
48×64	WEA004864A	●	●		0.71"	15.9×27	12.14×16.3	10.54×14.7	0.22×0.23	1/64	3V	I2C	SSD1306
64×32	WEA006432A	●	●		0.49"	14.85×16.6	12.58×6.58	11.18×5.58	0.175×0.175	1/32	3V	I2C	SSD1306
64×48	WEA006448A	●	●		0.66"	19.9×23.1	15.42×12.06	13.42×10.06	0.21×0.21	1/48	3V	I2C	SSD1306
64×128	WEA064128A	●	●		0.96"	34.0×18.0	11.86×22.74	10.86×21.74	0.17×0.17	1/64	3V	I2C	SH1107
96×16	WEA009616A	●	●		0.84"	33×10	23.104×5.504	21.104×3.504	0.22×0.22	1/16	3V	I2C	SSD1306
	WEA009616B	●	●		0.69"	30×10	23.104×5.504	17.26×3.18	0.18×0.20	1/16	3V	I2C	SSD1306
96×64	WEA009664B	●	●		1.1"	31.5×31.5	24.54×17.02	22.53×15.01	0.235×0.235	1/64	3V	SPI,I2C	SSD1327
128×32	WEA012832D	●	●		0.91"	32.5×20.5	24.384×7.584	22.384×5.584	0.175×0.175	1/32	3V	SPI	SSD1306
	WEA012832E	●	●		1.04"	35.4×23.5	27.58×8.38	25.58×6.38	0.20×0.20	1/32	3V	SPI	SSD1306
	WEA012832F	●	●		0.91"	35.8×12	24.384×7.584	22.384×5.584	0.175×0.175	1/32	3V	I2C	SSD1306
	WEA012832P	●	●		1.71"	60.0×18.75	44.22×12.54	42.22×10.54	0.33×0.33	1/32	3V	SPI	CH1115
128×64	WEA012864A	●	●		1.54"	42.4×38	37.05×19.52	35.05×17.51	0.274×0.274	1/64	3V	SPI,I2C	SSD1309
	WEA012864AA	●	●		1.54"	42.4×38	37.05×19.51	35.05×17.51	0.274×0.274	1/64	3V	SPI	SSD1327
	WEA012864AE	●	●		1.54"	42.4×38	37.05×19.52	35.05×17.51	0.274×0.274	1/64	3V	SPI	CH1116
	WEA012864D-01	●	●		0.96"	38×28.5	23.94×12.06	21.74×10.86	0.17×0.17	1/64	3V/5V	SPI,I2C	SSD1306
	WEA012864D-03	●	●		0.96"	27.3×27.3	23.94×12.06	21.74×10.86	0.17×0.17	1/64	3V/5V	I2C	SSD1306
	WEA012864L	●	●		1.28"	35.5×32	31.32×15.62	29.42×14.2	0.23×0.222	1/64	3V/5V	SPI,I2C	SH1106

Display Format	Model No.	Structure			Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COG	PCB	FR									
128×64	WEA012864MX	●	●		0.96"	27.3×27.3	23.746×13.206	21.746×11.206	0.17×0.17	1/64	3V/5V	I2C	SSD1306
128×128	WEA128128A	●	●		1.5"	34.2×45.5	28.86×28.86	26.86×26.86	0.21×0.21	1/128	3.3V/5V	SPI,I2C	SSD1327
	WEA128128G	●	●		1.12"	26.4×38.6	22.08×22.08	20.076×20.076	0.157×0.157	1/128	3V	SPI	SH1107
256×64	WEA025664A	●	●		2.08"	70×22	53.18×14.78	51.18×12.78	0.2×0.2	1/64	3V	SPI	SSD1362
128×64	WEF012864H	●		●	2.42"	77.2×42.14	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEF012864G	●		●	2.42"	77.2×42.14	57.01×28.91	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEF012864U	●		●	2.7"	89.7×47.2	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357
	WEF012864K	●		●	2.7"	89.7×47.2	63.41×32.69	61.41×30.69	0.48×0.48	1/64	4V	6800,8080,SPI,I2C	SSD1309
	WEF012864Q	●		●	2.7"	89.7×47.2	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
128×32	WEP012832A	●	●	●	2.23"	66.5×35	59×17.1	55.018×13.098	0.43×0.41	1/32	3V	6800,8080,SPI,I2C	SSD1305
128×64	WEP012864AJ	●	●	●	2.42"	75×52.7	57.01×29.49	55.01×27.49	0.43×0.43	1/64	3V/5V	8080,RS232	CH1116
	WEP012864Q	●	●	●	2.7"	82.0 × 47.5	64.41×33.69	61.41 × 30.69	0.48 × 0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEP012864U	●	●	●	2.7"	82×47.5	64.41×33.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357
256×64	WEX025664A	●			2.8"	84×25.8	71.104×19.264	69.098×17.258	0.27×0.27	1/64	3V	6800,8080,SPI	SSD1322
	WEX025664B	●			3.12"	88×27.8	78.78×21.18	76.778×19.178	0.30×0.30	1/64	3V	6800,8080,SPI	SSD1322
	WEX025664D	●			5.5"	146×45	137.65×35.89	135.65×33.89	0.53×0.53	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664A	●	●	●	2.8"	85×39.8	72×20	69.1×17.26	0.27×0.27	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664B	●	●	●	3.12"	89.2×44	78.78×21.18	76.78×19.18	0.30×0.30	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664D	●	●	●	5.5"	147×59	137.65×35.89	135.65×33.89	0.53×0.53	1/64	3V	6800,8080,SPI	SSD1322

OLED OLED Touch / OLED Knob

Display Format	Model No.	Structure				Size	Outline Dimension	Viewing Area	Active Area	Dot Pitch	Duty	Power Supply	Interface	IC
		COG	COF	PCB	FR									
128×32	WEO012832M-CTP	●				0.91"	30×11.5	24.38×7.58	22.38×5.58	0.175×0.175	1/32	3V	SPI,I2C	SSD7317
128×64	WEO012864A-CTP	●				1.54"	43.04×28.22	37.05×19.52	35.05×17.51	0.274×0.274	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864G-CTP	●				2.42"	66.8×41.3	56.01×28.49	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864J-CTP	●		●	●	2.42"	75×52.7	57.01×29.49	55.01×27.49	0.43×0.43	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEO012864Q-CTP	●				2.7"	73×41.16	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
128×128	WEO128128D-CTP	●				1.18"	Ø50.5	Ø31	Ø30	0.235×0.235	1/128	3V	SPI,I2C	SSD1327
128×32	WEP012832A-CTP	●		●	●	2.23"	66.5×35	56.02×14.1	55.018×13.098	0.43×0.41	1/32	3V	6800,8080,SPI,I2C	SSD1305
256×64	WEO025664D-CTP	●				3.55"	100.4×36.1	88.52×22.28	87.52×21.28	0.342×0.333	1/64	3V	6800,8080,SPI	SSD1322
128×64	WEP012864Q-CTP	●		●	●	2.7"	82×47.5	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1309
	WEP012864U-CTP	●		●	●	2.7"	82×47.5	63.41×32.69	61.41×30.69	0.48×0.48	1/64	3V	6800,8080,SPI,I2C	SSD1357
256×64	WEX025664B-CTP	●				3.12"	89.2×29	78.78×21.18	76.778×19.178	0.3×0.3	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664A-CTP	●	●	●		2.8"	85×39.8	71.1×19.26	69.1×17.26	0.27×0.27	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664B-CTP	●	●	●		3.12"	89.2×44	78.78×21.18	76.78×19.18	0.3×0.3	1/64	3V	6800,8080,SPI	SSD1322
	WEN025664D-CTP	●	●	●		5.5"	147×59	137.5×35.59	135.65×33.89	0.53×0.53	1/64	3V	6800,8080,SPI	SSD1322
128×64	WEO012864Z	●				0.96"	Ø39.4×24.8	22.74×11.86	21.74×10.86	0.17×0.17	1/64	3V	SPI,I2C	SSD1306
128×128	WEO128128D-CTP-Knob	●				1.18"	Ø56	Ø31	Ø30	0.235×0.235	1/128	3V	SPI,I2C	SSD1327