

OFP240-D510

24" Full HD Digital Signage System



Features

- 24" 16:9 TFT LCD - Full HD 1920 x 1080P
- Intel® Atom™ processor D510 1.66 GHz
- Intel® Gen 3.5 high performance integrated graphics controller
- Supports VESA FPMPMI compliant flat panel mount
- Built-in SAW touchscreen

Specifications

LCD Panel	Size	24"
	Contrast	1000 : 1
	Pixel Pitch	277 x 277 (um)
	Viewing Angle (H/V)	160° x 170°
	Response Time	5ms
	Color	16.7M
	Brightness (cd/m ²)	300
	Board	CPU
Chipset		Intel® NM10
Onboard Graphics		Intel® GMA 3150
Memory		2 x 240-pin DDR2 800 MHz DIMMs up to 4 GB
HDD		1 x 2.5" HDD
I/O	4 x USB 2.0	
	1 x RS-232	
	2 x PS/2 keyboard/mouse	
Ethernet	1 x 10/100/1000Mbps Ethernet	
Expansion Slot	1 x PCI Express Mini Card	
Audio	Line-in/Line-out/Mic	
Touchscreen	Surface acoustic wave (SAW) type	
Power Supply	19VDC, with AC-DC adaptor	
Dimensions	350 mm (13.7") (W) x 90.8 mm (3.6") (D) x 587 mm (23.1") (H)	
Packing dimensions	700 mm (27.56") (W) x 220 mm (8.66") (D) x 460 mm (18.11") (H)	
Weight(net/gross)	10.5 kg (23.1 lb)/12 kg (26.4 lb)	
Environment	0 - +40°C, operation, 10% - 95% relative humidity	

Ordering Information

OFP240	24" digital signage platform with Intel® Atom™ processor D510 1.66 GHz, 1920 x 1080P full HD resolution
OFP240-S	24" digital signage platform with Intel® Atom™ processor D510 1.66 GHz, 1920 x 1080P full HD resolution, and SAW touch screen

* Specification and certifications are based on options and may vary.

Dimensions

