

Note:

1. Material:

\* Base:

High Temperature Polyamide

UL 94V-0 Color Nature

\* Contact: Brass

△ 2. For Lead Free Wave flow Process

Ordering Code:

CI06 \*\* P 1 H 00 -LF  
 ① ② ③ ④ ⑤ ⑥ ⑦

① Series No.

② No. of circuits

③ Contact type: P= Pin Header

④ Plating option:

1= 3.05μm (120μ") Tin over




0.76μm(30μ") Nickel (Matte Tin Finish)

⑤ Type: H= Right angle type

⑥ Option: 00= Standard

⑦ Other option:

-LF= For Lead Free Wave flow Process



Recommended P.C. Board Layout

△ A = 2.0 × No. of Spaces


B = A + 3.96

C = A + 2.8

\* Available in 2 through 16 circuits

Lead Free Process

RoHS Compliant

△ 4						DATE	UNIT: mm / inch	TITLE:	 瀚荃股份有限公司 CviLux Corporation
△ 3	Enya	3/8-13'	ECN13056-0/ECR13007-1	DRAWN BY:	Enya	4/16-13'	TOLERANCE UNLESS OTHERWISE SPECIFIED	2.00mm PIN HEADER DIP TYPE	
△ 2	Tim	11/09-10'	ECR10145-0/ECN10364	ENGINEER:	Eisley	4/19-13'	.X ± 0.30/.012 X: ± 1'	MATERIAL:	DRAWING NO. CI0605SD
△ 1	Sandy	9/27-07'	ECN07402	CHECKED BY:	Eisley	4/19-13'	.XX ± 0.20/.008 .X: ±	FINISH:	PART NO. CI06**P1H00-LF
SYM	NAME	DATE	REVISIONS	APPROVED BY:	David	4/19-13'	.XXX ± 0.10/.004 .XX ±		SCALE 3 / 1
									SHEET 1 OF 1

CIVILUX CORP  
 2013.04.24  
 ISSUED