

Crystal resonancer

6K7 TUNING FORK WATCH CRYSTAL 32.768KHz



Approved by:
Checked by:
Issued by:

SPECIFICATION

MODEL: SJK-6K7-32.768-7-20-65-C

深圳市晶科鑫实业有限公司
SHENZHEN CRYSTAL TECHNOLOGY INDUSTRIAL CO., LTD.

Add: RM#1805, East Wing, TianAn Hi-tech Plaza Phase2, TianAn Cyber Park, Shenzhen, China
Tel: (86) 755 88352809 88352810 Fax: (86) 755 88353718 88352499
E-mail: sjk@q-crystal.com HTTP://www.q-crystal.com

Crystal resonancer

6K7 TUNING FORK WATCH CRYSTAL 32.768KHz



FEATURE

- I Wide Frequency range
- I Small size
- I Tape & Reel

APPLICATIONS


- I Microprocessor Systems
- I Consumer Electronics

ELECTRICAL SPECIFICATIONS

Frequency	32.768KHz
Frequency Tolerance (at 25°C)	±20ppm
Load Capacitance(C _L)	7 pF
ESR	65KΩ Max
Turnover Temperature	25 ± 5°C
Frequency stability vs Temperature Range	-40 °C to + 85 °C
Frequency Temperature Curve	-0.04ppm/°C ² MAX
Storage Temperature Range	-55 °C to +125 °C
Operating Temperature Range	-40 °C to + 85 °C
Shunt Capacitance (C ₀)	0.8pF Typ
Dynamic Capacitance (C ₁)	1.9fF Typ
Driver Level (Typical)	1 μW Max
Insulation Resistance	500MΩ MIN at DC100V±15V
Aging @25°C 1 st year (Max)	±3ppm/year max

REMARK: SPECIFICATIONS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. PLEASE CONFIRM WITH OUR SALES ENGINEER.

Frequency VS Temperature Curve



PACKING AND DIMENSIONS

Dimensions (Unit: mm)

Add: RM#1805, East Wing, TianAn Hi-tech Plaza Phase2, TianAn Cyber Park, Shenzhen, China


Tel: (86) 755 88352809 88352810 Fax: (86) 755 88353718 88352499

E-mail: sjk@q-crystal.com HTTP://www.q-crystal.com


Crystal resonancer




6K7 TUNING FORK WATCH CRYSTAL 32.768KHz



Recommended soldering pattern (Unit: mm)



Recommended Reflow portfolio



PART NUMBER

SJK-	6K7	32.768K	7	20	65	C
	6k7:7×1.5mm	Frequency	Load capacitance	Frequency tolerance :20ppm	E.S.R. 65kohm	temp.range C:-40+85°C

Add: RM#1805, East Wing, TianAn Hi-tech Plaza Phase2, TianAn Cyber Park, Shenzhen, China
 Tel: (86) 755 88352809 88352810 Fax: (86) 755 88353718 88352499
 E-mail: sjk@q-crystal.com HTTP://www.q-crystal.com