



RFWV.E128651 Electrical Quick-connect Terminals

[Page Bottom](#)

Electrical Quick-connect Terminals

[See General Information for Electrical Quick-connect Terminals](#)

K S TERMINALS INC

E128651

8 E 3RD RD CHANGPIN IND PARK
PO BOX 66
HSIEN SHI
CHANG HWA, 507 TAIWAN

K.S. KST.

Trademark and/or Tradename:

Insulated male disconnect tabs, Model(s) 2-250-T, 5-250-T, MDD1-110(5)-T, MDD1-110(8)-T, MDD1-187(5)-T, MDD1-187(8)-T, MDD1-250-T, MDD2-187(5)-T, MDD2-187(8)-T, MDD2-250-T, MDD5-250-T, MDFNY1-187(5)A-PS, MDFNY1-187(8)A-PS, MDFNY1-250A-PS, MDFNY2-250A-PS, MDFNY5-250TA-PS, MDFNYD1-187(5)-T, MDFNYD1-187(8)-T, MDFNYD1-250-T, MDFNYD2-187(5)-T, MDFNYD2-187(8)-T, MDFNYD2-250-T, MDFNYD5-250-T, MDNID1-110(5)-T, MDNID1-110(8)-T, MDNID1-187(5)-T, MDNID1-187(8)-T, MDNID1-250-T, MDNID2-187(5)-T, MDNID2-187(8)-T, MDNID2-250-T, MDNID5-250-T, MDNIDX1-110(5)-T, MDNIDX1-110(8)-T, MDNIDX1-187(5)-T, MDNIDX1-187(8)-T, MDNIDX1-250-T, MDNIDX2-187(5)-T, MDNIDX2-187(8)-T, MDNYD1-110(5)-T, MDNYD1-110(8)-T, MDNYD1-187(5)-T, MDNYD1-187(8)-T, MDNYD1-250-T, MDNYD2-187(5)-T, MDNYD2-187(8)-T, MDNYD2-250-T, MDNYD5-250-T, MDNYDX1-110(5)-PS, MDNYDX1-110(5)-T, MDNYDX1-110(8)-PS, MDNYDX1-110(8)-T, MDNYDX1-187(5)-PS, MDNYDX1-187(5)-T, MDNYDX1-187(8)-PS, MDNYDX1-187(8)-T, **MDNYDX1-250-PS**, MDNYDX1-250-T, MDNYDX2-187(5)-PS, MDNYDX2-187(5)-T, MDNYDX2-187(8)-PS, MDNYDX2-187(8)-T, MDNYDX2-250-PS, MDNYDX2-250-T, MDNYDX5-250-PS, MDNYDX5-250-T, MDVYDX1-110(5)-T, MDVYDX1-110(8)-T, MDVYDX1-187(5)-T, MDVYDX1-187(8)-T, MDVYDX1-250-T, MDVYDX2-187(5)-T, MDVYDX2-187(8)-T, MDVYDX2-250-T, MDVYDX5-250-T

Insulated quick-connect connector tabs, Model(s) MDFNYH1-250, MDFNYH2-250, MDFNYH5-250

Insulated quick-connect connectors for copper alloy tabs, Model(s) F1250 05NN, F1250-02NK, F1250-03NK, F1250-03NN, F1250-04NW, F1250-06NW, FDD1-110(5)*, FDD1-110(5)-EA292*, FDD1-110(5)-T, FDD1-110(5)NS*, FDD1-110(5)NS-S*, FDD1-110(8)*, FDD1-110(8)-EA292*, FDD1-110(8)-T, FDD1-110(8)NS*, FDD1-110(8)NS-S*, FDD1-187(5)*, FDD1-187(5)-1*, FDD1-187(5)-S*, FDD1-187(5)-T, FDD1-187(8)*, FDD1-187(8)-1*, FDD1-187(8)-S*, FDD1-187(8)-T, FDD1-205(5)*, FDD1-205(5)-T, FDD1-205(8)*, FDD1-205(8)-T, FDD1-250*, FDD1-250-1*, FDD1-250-EA292*, FDD1-250-S*, FDD1-250-T, FDD2-110(5)*, FDD2-110(5)-EA292*, FDD2-110(5)-T, FDD2-110(8)*, FDD2-110(8)-EA292*, FDD2-110(8)NS*, FDD2-110(8)NS-S*, FDD2-110(8)-T, FDD2-187(5)*, FDD2-187(5)-1*, FDD2-187(5)-S*, FDD2-187(5)-T, FDD2-187(8)*, FDD2-187(8)-1*, FDD2-187(8)-S*, FDD2-187(8)-T, FDD2-205(5)*, FDD2-205(5)-T, FDD2-205(8)*, FDD2-205(8)-T, FDD2-250*, FDD2-250-1*, FDD2-250-EA292*, FDD2-250-S*, FDD2-250-T, FDD5-110(5)-EA292*, FDD5-187(5)*, FDD5-187(5)-T, FDD5-187(8)*, FDD5-187(8)-T, FDD5-250*, FDD5-250-1*, FDD5-250-EA292*, FDD5-250-T, FDFD1-110(5)*, FDFD1-110(5)-EA292*, FDFD1-110(5)-T, FDFD1-110(8)*, FDFD1-110(8)-EA292*, FDFD1-110(8)-T, FDFD1-110(8)NS*, FDFD1-187(5)*, FDFD1-187(5)-1*, FDFD1-187(5)-T, FDFD1-187(8)*, FDFD1-187(8)-1*, FDFD1-187(8)-T, FDFD1-205(5)*, FDFD1-205(5)-T, FDFD1-205(8)*, FDFD1-205(8)-T, FDFD1-250*, FDFD1-250-1*, FDFD1-250-EA292*, FDFD1-250-T, FDFD2-110(5)*, FDFD2-110(5)-EA292*, FDFD2-110(5)-T, FDFD2-110(8)NS*, FDFD2-187(5)*, FDFD2-187(5)-1*, FDFD2-187(5)-T, FDFD2-187(8)*, FDFD2-187(8)-1*, FDFD2-187(8)-T, FDFD2-205(5)*, FDFD2-205(5)-T, FDFD2-205(8)*, FDFD2-205(8)-T, FDFD2-250*, FDFD2-250-1*, FDFD2-250-EA292*, FDFD2-250-T, FDFD5-250*, FDFD5-250-1*, FDFD5-250-EA292*, FDFD5-250-T, FDFNI1-250, FDFNI1-250-1, FDFNI2-250, FDFNI2-250-1, FDFNI5-250, FDFNI5-250-1, FDFNID1-110(5)-T, FDFNID1-110(8)-T, FDFNID1-187(5)-T, FDFNID1-187(8)-T, FDFNID1-250-T, FDFNID2-187(5)-T, FDFNID2-187(8)-T, FDFNID2-250-T, FDFNID5-250-T, FDFNIDX1-110(5)-T, FDFNIDX1-110(8)-T, FDFNIDX1-187(5)-T, FDFNIDX1-187(8)-T, FDFNIDX1-250-T, FDFNIDX2-187(5)-T, FDFNIDX2-187(8)-T, FDFNIDX2-250-T, FDFNIDX5-250-T, FDFNY1-250A-PS, FDFNY2-250A-PS, FDFNY5-250TA-PS, FDFNYD1-110(5)-T, FDFNYD1-110(8)-T, FDFNYD1-187(5)-T, FDFNYD1-187(8)-T, FDFNYD1-205(5)-T, FDFNYD1-205(8)-T, FDFNYD1-250-T, FDFNYD2-187(5)-T, FDFNYD2-187(8)-T, FDFNYD2-205(5)-T, FDFNYD2-205(8)-T, FDFNYD2-250-T, FDFNYD5-250-T, FDFNYDX1-110(5)-T, FDFNYDX1-110(8)-T, FDFNYDX1-187(5)-PS, FDFNYDX1-187(5)-T, FDFNYDX1-187(8)-PS, FDFNYDX1-187(8)-T, **FDFNYDX1-250-PS**, FDFNYDX1-250-T, FDFNYDX2-187(5)-PS, FDFNYDX2-187(5)-T, FDFNYDX2-187(8)-PS, FDFNYDX2-187(8)-T, FDFNYDX2-250-PS, FDFNYDX2-250-T, FDFNYDX5-250-PS, FDFNYDX5-250-T, FDFNYH1-250, FDFNYH2-250, FDFNYH5-250, FDFVYD1-250-T, FDFVYD2-250-T, FDNII1-110(5), FDNII1-110(5)NS, FDNII1-110(8), FDNII1-110(8)NS, FDNII1-187(5), FDNII1-187(5)-1, FDNII1-187(8), FDNII1-187(8)-1, FDNII1-205(5), FDNII1-205(8), FDNII1-250, FDNII1-250-1, FDNII2-110(5), FDNII2-110(5)NS, FDNII2-110(8), FDNII2-110(8)NS, FDNII2-187(5), FDNII2-187(5)-1, FDNII2-187(8), FDNII2-187(8)-1, FDNII2-205(5), FDNII2-205(8), FDNII2-250, FDNII2-250-1, FDNII5-187(5), FDNII5-187(8), FDNII5-250, FDNII5-250-1, FDNID1-110(5)-T, FDNID1-110(8)-T, FDNID1-187(5)-T, FDNID1-187(8)-T, FDNID1-205(5)-T, FDNID1-205(8)-T, FDNID1-250-T, FDNID2-110(5)-T, FDNID2-110(8)-T, FDNID2-187(5)-T, FDNID2-187(8)-T, FDNID2-205(5)-T, FDNID2-205(8)-T, FDNID2-250-T, FDNID5-187(5)-T, FDNID5-187(8)-T, FDNID5-250-T, FDNIDX1-110(5)-T, FDNIDX1-110(8)-T, FDNIDX1-187(5)-T, FDNIDX1-187(8)-T, FDNIDX1-205(5)-T, FDNIDX1-205(8)-T, FDNIDX1-250-T, FDNIDX2-110(5)-T, FDNIDX2-110(8)-T, FDNIDX2-187(5)-T, FDNIDX2-187(8)-T, FDNIDX2-205(5)-T, FDNIDX2-205(8)-T, FDNIDX2-250-T, FDNIDX5-187(5)-T, FDNIDX5-187(8)-T, FDNIDX5-250-T, FDNIDY1-110(5)-T, FDNIDY1-110(8)-T, FDNIDY1-187(5)-T, FDNIDY1-187(8)-T, FDNIDY1-205(5)-T, FDNIDY1-205(8)-T, FDNIDY1-250-T, FDNIDY2-110(5)-T, FDNIDY2-110(8)-T, FDNIDY2-187(5)-T, FDNIDY2-187(8)-T, FDNIDY2-205(5)-T, FDNIDY2-205(8)-T, FDNIDY2-250-T, FDNIDY5-187(5)-T, FDNIDY5-187(8)-T, FDNIDY5-250-T, **FDNIDYX1-110(5)-PS**, FDNIDYX1-110(5)-T, FDNIDYX1-110(8)-PS, FDNIDYX1-110(8)-T, FDNIDYX1-187(5)-PS, FDNIDYX1-187(5)-T, **FDNIDYX1-187(8)-PS**, FDNIDYX1-187(8)-T, FDNIDYX1-205(5)-PS, FDNIDYX1-205(5)-T, FDNIDYX1-205(8)-PS, FDNIDYX1-205(8)-T, **FDNIDYX1-250-**

Quick connect connectors for brass tabs, Model(s) FDFN1-250, FDFN1-250-1, FDFN1-250-1-CLEAR, FDFN1-250-CLEAR, FDFN1-250-CLEAR-A292, FDFN1-250-DARK, FDFN1-250-EA292, FDFN2-250, FDFN2-250-1, FDFN2-250-1-CLEAR, FDFN2-250-CLEAR, FDFN2-250-CLEAR-A292, FDFN2-250-DARK, FDFN2-250-EA292, FDFN5-250, FDFN5-250-1, FDFN5-250-EA292, FDFNY0.5-110(5)A, FDFNY0.5-110(8)A, FDFNY1-110(5)A, FDFNY1-110(5)TA, FDFNY1-110(8)A, FDFNY1-110(8)TA, FDFNY1-187(5)A, FDFNY1-187(5)TA, FDFNY1-187(8)A, FDFNY1-187(8)TA, FDFNY1-250, FDFNY1-250A, FDFNY1-250TA, FDFNY2-110(5)A, FDFNY2-110(5)TA, FDFNY2-110(8)A, FDFNY2-110(8)TA, FDFNY2-187(5)A, FDFNY2-187(5)TA, FDFNY2-187(8)A, FDFNY2-187(8)TA, FDFNY2-250, FDFNY2-250A, FDFNY2-250TA, FDFNY5-250, FDFNY5-250A, FDFNY1-110(5), FDFNY1-110(5)NS, FDFNY1-110(8), FDFNY1-110(8)NS, FDFNY1-187(5), FDFNY1-187(5)-1, FDFNY1-187(8), FDFNY1-187(8)-1, FDFNY1-205, FDFNY1-205(5), FDFNY1-205(8), FDFNY1-250, FDFNY1-250-1, FDFNY2-110(5), FDFNY2-110(5)NS, FDFNY2-110(8), FDFNY2-110(8)NS, FDFNY2-187(5), FDFNY2-187(5)-1, FDFNY2-187(5)A-MS, FDFNY2-187(8), FDFNY2-187(8)-1, FDFNY2-187(8)A-MS, FDFNY2-205, FDFNY2-205(5), FDFNY2-205(8), FDFNY2-250, FDFNY2-250-1, FDFNY5-250, FDFNY5-250-1, FLDNY1-187(5)A, FLDNY1-187(5)A-MS, FLDNY1-187(5)A@-MS, FLDNY1-187(8)A, FLDNY1-187(8)A-MS, FLDNY1-187(8)A@-MS, FLDNY1-250, FLDNY1-250A, FLDNY1-250A-MS, FLDNY1-250A@-MS, FLDNY2-187(5)A, FLDNY2-187(5)A-MS, FLDNY2-187(5)A@-MS, FLDNY2-187(8)A, FLDNY2-187(8)A-MS, FLDNY2-187(8)A@-MS, FLDNY2-250, FLDNY2-250A, FLDNY2-250A-MS, FLDNY2-250A@-MS, FLDNY2-5-250, MDFN1-250, MDFN1-250-CLEAR, MDFN1-250-DARK, MDFN2-250, MDFN2-250-CLEAR, MDFN2-250-DARK, MDFN5-250, MDFNY1-250, MDFNY1-250A, MDFNY2-250, MDFNY2-250A, MDFNY5-250, MDNY1-110(5), MDNY1-110(8), MDNY1-187(5), MDNY1-187(8), MDNY1-250, MDNY2-187(5), MDNY2-187(8), MDNY2-250, MDNY5-250, PBDNY1-250, PBDNY2-250, PBDNY5-250

Quick-connect copper alloy tabs, Model(s) MDD1-110(5)*, MDD1-110(8)*, MDD1-187(5)*, MDD1-187(8)*, MDD1-250*, MDD2-187(5)*, MDD2-187(8)*, MDD2-250*, MDD5-250*

* - May be followed by a 3 to 11 letter word suffix which denotes color.

Last Updated on 2015-08-24

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".